



Trainer Resource Guide

8. Risk Management in Daily Living



Trainer Guide: SESSION 8

Materials

- LCD projector and computer with PowerPoint software
- DSP Training DVD, Year 2
- DSP TV, Year 2, Scenes 9 and 14
- Chart paper
- Markers

Show Slide #1: Risk Management in Daily Living

Show Slide #2: Practice and Share, Session 7, and review the assignment.

- Ask for volunteers who would like to share their answers.
- Ask volunteers how they know that the things they listed are reinforcing for the individual.
- In the last session, you learned about strategies for teaching individuals important skills.
- In this session, you will learn skills related to reducing risks for individuals. You will review the principles of risk management and reporting requirements that you learned during Year 1 of the training, and learn to identify the causes of risk in order to prevent future incidents and injuries.

OUTCOMES







Show Slides #3 and #4: Outcomes

- Review outcomes for the session.

KEY WORDS

Show Slides #5 and #6: Key Words

- Review key words for the session.
- Give students 5 minutes to think about and rewrite definitions in their own words in the space provided.



Student Resource Guide: SESSION 8

Risk Management in Daily Living

OUTCOMES

When you have finish this session, you will be able to:

- ▶ List The Principles of Risk Management.
- ▶ Recognize the level of risk associated with different activities.
- ▶ Describe how to reduce an individual's fear about risk.
- ▶ Use a risk assessment tool to evaluate risks in daily living.
- ▶ Complete an Unusual Incident/Injury Report.
- ▶ Identify steps to lessen the possibility that an incident will happen again.

KEY WORDS


Key Word	Meaning	In My Own Words
Causal analysis	A way to determine why an incident or event happened in order to prevent it from happening again.	
Mitigate	To lessen the effects of risk.	
Perceived Risk	The level of risk individuals associate with an activity, based upon their experiences and feelings.	
Proactive risk management	Making a plan to minimize possible harm to individuals.	
Risk assessment	Looking at an environment or activity for possible harm to individuals.	
Risk management	A term given to processes that may reduce the chance of harm to individuals.	
Special Incident Report (SIR)	A report that is provided to the regional center in the event of serious bodily injury, serious physical harm, or death, potential criminal charges or legal action, or poisonings, or catastrophes involving any regional center individual.	

Trainer Guide: SESSION 8

ACTIVITY: What Do You Want to Know?

Show Slide #7: Activity: What Do You Want to Know?

- Read directions aloud.
- Ask for student volunteers to share answers.
- Make note of student answers and link back to student knowledge and interests as appropriate as you review session content.
- At the end of this session you will return to this activity to give students an opportunity to answer the third question.



ACTIVITY

What Do You Want to Know?

Directions: Think about the topic of this training session. Answer the first two questions in the space provided below. You will come back to this page at the end of the session to answer the last question.

.....
What do you **already know** about risk management in daily living?

.....
What do you **want to know** about risk management in daily living?

.....
To be answered at the end of the session, during review:
What **have you learned** about risk management in daily living?

Trainer Guide: SESSION 8

Opening Scenario

- Read scenario aloud.
- Ask students if this scenario – that is, being a new DSP and supporting individuals who may need a lot of assistance – sounds familiar to them?
- Ask how they might feel if they were Joan, the DSP?

The Role of the DSP in Risk Management

- Remind students of what they learned in Year 2, Session 1: Making Choices. When asked, individuals with developmental disabilities say that making choices gives their lives meaning. Along with some of those choices may come risk. The DSP's role is to help manage risk without limiting the rights of individuals.

The Principles of Risk Management

- The following discussion refers to a session outcome, and should be noted as it may be covered on the quiz.

Outcome: List the Principles of Risk Management.

- **Risk management** is a term given to processes that may reduce the chance of harm to individuals.
- The Principles of Risk Management are a review from Year 1 training.
- Ask students if they remember the #1 priority of risk management.

Answer: Prevention

Opening Scenario

Kay is a 45-year-old woman with multiple disabilities who lives in Martha's Place, a small group home. While Kay has a number of challenges in life, including her fragile medical condition and the need for almost total assistance in her personal care activities, she is very friendly and enjoys being with people. Kay is originally from Korea and has an elderly guardian who needs to find someone else to act as Kay's guardian in the near future.

Martha's Place is in an urban area, and while transportation, business and leisure opportunities are nearby, her home is not in a particularly safe area.

Joan is a young woman who has been working at Martha's place for two weeks. She has just completed her CPR and First Aid classes and is excited about this job.

The Role of the DSP in Risk Management

As a DSP, Joan has responsibilities she didn't have in her past employment. She has agreed to support individuals who may need a great deal of assistance in many areas of life. At the same time, the individuals Joan supports are adults with the right to make choices and experience life. There is always some measure of risk in experiencing life and one of the first things Joan must learn is to manage risk in a way that does not limit the rights of Kay and others who live at Martha's Place.

The Principles of Risk Management



In Year I, you learned about risk management and how to begin to apply it to your work. Again, **risk management** is a term given to processes that may reduce the chance of harm to individuals. In this session we will review the principles of the risk management and learn ways to determine the causes of risk in order to prevent future incidents and injuries.

The Principles of Risk Management are:

1. **Prevention of serious incidents is the number one priority.**

The best possible risk management strategy is to be aware of potential risks and prevent them from happening. As a DSP, your first priority is to prevent injury or harm to individuals you support, and to protect them from abuse, neglect, and exploitation.

2. **Creation and maintenance of safe environments is everyone's responsibility.**

We are all responsible for looking out for risks and making environments safer. If you see an object left where someone could trip over it, put it away. If there is water on the floor that might cause someone to slip, wipe it up. Again, you need to anticipate risks and prevent accidents from happening.

Trainer Guide: SESSION 8

Show Slides #8 and #9: The Principles of Risk Management

- Review the Principles of Risk Management and what each one means.

Show Slide #10: What does it mean?

Mitigate means to lessen the effects of a risk. The word will be used often in this session.

Levels of Risk

- This information is related to a session outcome and may appear on the quiz.

Outcome: Recognize the levels of risk associated with different activities.

Scenario

- Read scenario aloud.
- Ask students what might be considered risky about Joan's life-style.

Answers: Mountain biking, rock climbing, living in urban areas, riding public transit at night.

- All kinds of activities have risks, even routine activities.

Principles of Risk Management

1. Prevention is the #1 priority
2. Safe environments are everyone's responsibility
3. Open communication is the key to prevention

YEAR TWO

8

Principles of Risk Management (continued)

4. DSPs know how to respond to, report, and document incidents
5. Ongoing identification, assessment and planning are essential to mitigating risk
6. Safety starts with those closest to the individual

YEAR TWO

9

What does it mean?

- **Mitigate**
- To lessen the effect of risk

YEAR TWO

10

The Role of the DSP in Risk Management (continued)

3. Open communication is key to prevention.

Open communication and sharing of information is key to identifying risks and ensuring safety. *Everyone*—the individual, family, all members of the planning team, including the DSP—may have important information about potential risks and how to address them.

4. Everyone who is required to report incidents, including DSPs, knows how to respond to, report, and document incidents in a timely and accurate manner.

DSPs are mandated reporters and must report incidents accurately and in a timely manner. In this session you will learn what to report, how to report it, to whom, and by when it must be reported.

5. Ongoing identification, assessment, and planning for both potential risks

and actual occurrences is essential to the development of sound, person-centered strategies to prevent or *mitigate* serious incidents.

Risk management is a never-ending process of identification, assessment, planning, and evaluation of results.

Mitigate means to lessen the effects of risk.

6. Safety starts with those who work most closely with individuals receiving supports and services.

In your role as DSP you work day-to-day, hour-to-hour, minute-to-minute with individuals with developmental disabilities. You see things first and are in a position to identify risks early before an accident or injury occurs. You have a unique responsibility in supporting quality of life for individuals and ensuring their health and safety.

Remember: Prevention is the number one priority!

Levels of Risk

Scenario

Joan prides herself on her independence. She has been working since she was 14 years old and, as the oldest child in her family, had responsibility for her siblings. She is athletic and enjoys mountain biking and rock climbing. Joan has lived in urban areas all her life. She travels by public transit at all hours of the day and night and would have it no other way.

Life has its risks, doesn't it? Even when there seems to be risks in the normal routine of living, some of us like to take recreational risks. Remember when you were a teenager and you couldn't wait to be more independent? It seemed your parents would never let you grow up. Parents, recognizing the importance of taking risks in learning, had to spend hours worrying about your safety and ability to act

responsibly. Those of you who are parents understand this challenge.

Joan enjoys mountain biking and rock climbing, two activities that have risks associated with them. Surely there are safer recreational activities. What about going to a movie? The point is, there are all kinds of activities to choose from, and all of them have a certain level of risk. The level may be considered appropriate, increased, significant, or high.

Trainer Guide: SESSION 8

Show Slide #11: Levels of Risk



- Review the levels of risk: appropriate, increased, significant, high.
- Ask students how they would rate the level of risk in the following activities: Appropriate, increased, or high?
 - Eating breakfast.
 - Calling a friend on the phone.
 - Riding the bus.
 - Walking to the grocery store.
 - Taking a shower.
 - Cooking dinner.
- Most of these risks would be considered appropriate.
- However, the level of risk can change based upon certain circumstances – health conditions, time of day, etc. Share your own examples or examples from the text.

Perceived Risk

- The level of risk can change based upon individuals experiences and feelings also. Share your own examples or examples from the text.

Show Slide #12: Perceived Risk

- **Perceived risk** is the level of risk individuals associate with an activity, based upon their experiences and feelings.
- Emphasize the importance of knowing an individual as a way to mitigate risk.
- If you know individuals' interests, characteristics, experiences, fears, and health conditions to name a few, you will have the information you need to plan to minimize risk.



Levels of Risk (continued)

Let's look at some typical activities. How would you rate the level of risk?

1. Eating breakfast.
2. Calling a friend on the phone.
3. Riding the bus.
4. Walking to the grocery store.
5. Taking a shower.
6. Cooking dinner.

Certainly, for most of us, the level of risk for these activities would be appropriate. However, each one can have increased, significant, or even high levels of risk under certain circumstances. For example, traffic at different times of day may be busier, increasing the risk of walking to the store. Taking a shower when we have an injury and feel more unstable may increase the risk of falling.

Almost any environment or activity has a certain level of risk associated with it. You can trip on an uneven sidewalk while taking a walk, receive a bite from a dog you are petting, or break a tooth eating candy. Most of you don't stop doing activities because something might happen. We simply decide to be careful or take other protective steps when we know the risk in doing something. Most of the things you do have an appropriate level of risk; that means the level of risk is reasonable and you know what to expect. Some activities have an increased level, meaning you have some concern about what might happen and that you should be careful. There are activities that have a significant or high level of risk, which means that you should avoid the activity or take precautions.

Perceived Risk

Perceived risk is the level of risk individuals associate with activities based upon their experiences and feelings.

The risk in activities differs for all of us. The things I fear might hold no fear for you. Each of you may feel fear, anxiety, panic, or even terror depending on the level of risk you associate with the activity, action, or place.

There are activities that seem to carry a lot risk with them no matter who is doing them; for example, surfing in heavy waves, and skydiving. There are also activities that, for most of us, seem to have little or no risk associated with them. However, these same activities might seem to be very risky for others. For some individuals, the activities of daily living can make them nervous and unable to participate. For example, some people have no problem standing in front of a group of strangers to deliver a speech or to do a workshop. Others find this frightening. Some people have driven cars for years, and still find driving in the Los Angeles area scary and avoid it. There are a lot of reasons for these differences, including a negative past experience with the activity and perceived dangers.

The individuals you work with associate levels of risk in activities and environments they participate in, based on their experience or their perception of the experience, and may express the anxieties that go with them.

Trainer Guide: SESSION 8


Proactive Risk Management

- There are a lot of possible causes for risks: for example, health and disability-related issues, and safety and environmental issues.

DSPs need to consider the possible causes of risks in order to plan strategies to prevent future incidents and injuries.

Show Slide #13: Proactive Risk Management

- **Proactive risk management**, is making a plan to minimize possible harm to individuals.



Levels of Risk

As a DSP, your job is to take steps to minimize or mitigate the risk, or the perception of risk, for that individual. For example, because James does not like going to places he's never been before, you might find ways to make him more aware of the new place through pictures, videos, discussion, stories, association with positive events or feelings, and other means to reduce the level of fear he feels. Just knowing about an individual's personal limitations—emotional and physical, for example fear of crowds, small places, ani-

mals, heights, low endurance for physical activities, difficulty with eye-hand coordination—allows us to take steps to mitigate those risk factors.

Any activity can involve risk, and the circumstances may increase the level of risk. Even an activity you do everyday, such as eating breakfast, may present a high risk of choking for someone who eats too quickly or doesn't chew. As DSPs, recognizing the potential for risk in activities, assessing that risk, and taking steps to minimize risk is your responsibility.

Proactive Risk Management

Mealtimes are meant to be pleasant and safe. However, most of us have had or heard about an event that occurred during mealtimes that reminded us that even this simple activity has risks.

Let's look at the possible causes more closely. There is an underlying consumer characteristic associated with any accident or injury. For example, swallowing problems can be related to a physical disorder, side effects of medication, dislike for certain textures or tastes, a tendency to take more food into the mouth than safe, or some other reason. Similarly, frequent falling may be related to a developmental disability like cerebral palsy; a side effect of medication affecting gait or bal-

ance; a tendency to run without paying attention to obstacles; or visual problems. Of course, falling may also be related to safety or environmental issues as in the case of uneven or slippery floors. Falling may even be related to the type of shoes a person wears.

What we have done through the exercise is a form for risk assessment called a causal analysis. Specifically, we have identified the problem, and considered probable causes. The next step would be to discuss intervention strategies to prevent the event from happening again. This is what **proactive risk management** is all about: making a plan to minimize possible harm to individuals.

Trainer Guide: SESSION 8

ACTIVITY: Looking at Levels of Risk

Show Slide #14: Activity: Looking at Levels of Risk

- Read directions aloud.
- Give students 10 minutes to write activities, level of risk, and things that could increase the level of risk.
- Discuss as a class.
- Point out to students that they are learning to think about possible causes of risks by doing this activity.





ACTIVITY

Looking at Levels of Risk

Take a few moments and write down some home, community, and recreational activities that you do. Don't only consider the high risk activities; for example, skydiving. Consider some of the more common activities you do. Then write down the level of risk you associate with each activity.

Appropriate—an acceptable level of risk

Increased—additional risk associated with activity

High—many risks associated with activity

Finally, write down things that might increase the level of risk.

Activity	Level of risk	What would increase the level of risk?
<i>Examples</i>		
<i>Taking a shower</i>	<i>appropriate</i>	<i>unstable, can't judge temperature, fearful of shower, drowsy, medications...</i>
<i>Driving</i>	<i>increased</i>	<i>medications, sleepy, heavy traffic, noisy, poorly behaved companions...</i>

Trainer Guide: SESSION 8

Scenario

- Read scenario aloud.
- Ask students how Ray feels about going to the store? Why might he feel that way?

ACTIVITY: Reducing Perceived Risk

- The following discussion and activity relate to a session outcome, and may appear on the quiz.

Outcome: Describe how to reduce an individual's fear about risk.

- Review the definition of **task analysis** from the previous session: *Listing the sequence of activities or steps it takes to do something.*
- This activity involves doing a task analysis as a way of managing risk.


Show Slide #15: Activity: Reducing Perceived Risk

- Review directions to ensure understanding.
- Ask students to list the steps involved in preparing for and going to the store to buy a magazine, and chart their answers.
- Discuss what steps might present a challenge for Ray, and what can be done to reduce the risk that Ray perceives regarding those steps.
- If you like, share your own or the following example.

Example:

Ray might feel uncomfortable going through the checkout line and interacting with a clerk that he does not know. Ways to reduce his perceived risk might include: going to a smaller store, going to the store during hours when it is unlikely to be crowded, introducing him to the clerk outside of the store, describing step-by-step what the interaction with the clerk might be like, and role playing the interaction.

- Emphasize that it is important to reduce perceived risk in order to increase individuals' independence and life enjoyment.





Scenario

Ray loves to read People magazine. He looks forward to getting each new copy. In developing his IPP through a Person-Centered Plan, his support staff, family, and friends suggested that Ray develop skills by buying his own magazine at the store. This would be a natural way for Ray to learn travel and money skills, except for one thing—Ray is scared of going to the store. He is often invited and always prefers to stay in the car or outside. For some reason, this activity feels very scary to Ray; that is, he perceives a high level of risk in going to the store.

It is likely that there are parts of the activity of purchasing a magazine that Ray can do. However, there are other parts that are a problem for him. In Session 7, we discussed task analysis. This involves

breaking down an activity into steps and then teaching the individual steps or in some cases, finding a way to adapt one or more of the steps. If we take Ray's situation in the scenario above, how would we break it down into parts?



ACTIVITY

Reducing Perceived Risk

*List the steps involved in preparing for, and going to the store to buy a magazine. Identify the step(s) that might present the challenge for Ray.
For this step, what can we do to reduce the risk Ray perceives?*

You could simply accept that Ray won't go in the store. Ray then has to depend on others to do something he could do. He also might miss some exciting adventures associated with shopping. The best choice

is to support Ray in dealing with the risk he perceives. As DSPs, you can assist individuals to be as independent as possible and to experience what life has to offer.

Trainer Guide: SESSION 8


ACTIVITY: Task Analysis for Risk Assessment

Show Slide #16: Activity: Task Analysis for Risk Assessment

- Review directions to ensure understanding.
- Ask students to list the steps involved in going to the rock concert, possible risks, and strategies for minimizing risk. Chart their answers.
- Ask the students what they could do the day before the concert to mitigate potential risks for Kay?

Example:

Steps	Risk	Plans for Minimizing Risk
Upon arrival, find location of the seats	Kay may get lost in the crowd	Kay could wear an i.d. bracelet or put i.d. on a necklace or in her pocket
Use the restroom, if needed	Kay may have to wait in long lines to use the restroom	Kay could use the restroom at home before the concert Joan can find out the locations of restrooms before the concert





ACTIVITY

Task Analysis for Risk Assessment

Kay has decided that she would like to go to a rock concert. The staff at Martha's Place were surprised when she told them this and didn't think it would be safe for her. Joan, the DSP, understands that this is important for Kay and is willing to try to find a way to honor Kay's wish.

Pretend that you are Kay's DSP. List the steps involved in the activity of going to the rock concert. Assume that you have tickets to the concert. What steps would occur on the night of the concert, from Kay leaving her home until she returns after the concert? Note the concerns you have and write down possible strategies for each concern.

Steps	Risk	Plans for Minimizing Risk
--------------	-------------	----------------------------------

In many cases, the first thing some staff members might do is try to talk Kay out of this or to try to re-direct her to something that is perceived as more safe or at least easier to manage. However,

DSPs are support professionals. Your role is to support individuals with disabilities to participate in what life has to offer. Let's assess the risks in this choice and see how you might plan for success.

Trainer Guide: SESSION 8

Using a Risk Assessment Tool

Show Slide #17: Risk Assessment

- A **risk assessment** is looking at an environment or activity for possible harm to individuals.
- Review and discuss section.
- The following activity and discussion relate to a session outcome, and may appear on the quiz.

Outcome: Use a risk assessment tool to evaluate risks in daily living.

Show Slide #18: A Risk Assessment Tool

- Explain that a risk assessment worksheet can be used to think through the risk management process.
- It is not necessary to use the worksheet for every individual, but it may be helpful to document what you have done and share it with others.
- Discuss how the worksheet can be used.
- In planning, the tool may be used to list and describe risks, document other information, and spell out a plan.
- While thinking through the risks and possible interventions, other questions may arise. You may want expertise from a specialist to devise a plan. Or you may identify the need for special equipment, accommodations, or other support.
- The tool may be of use when reviewing how the plan worked or in planning for other similar situations in the future.

ACTIVITY: Using a Risk Assessment Worksheet



Show Slide #19: Activity: Using a Risk Assessment Worksheet

- Review directions to ensure understanding
- Review the worksheet and instructions for using it with the students before they begin the activity.
- If you think it would be helpful, give examples of risks and plans for the different categories of risk.
- Ask students to share their answers with the class.
- In addition to the example provided in the activity, you may share the following example or provide one of your own.

Example:

Description of Risk: At risk for falls due to unstable gait.

Plans to Manage Risk: Provide ample lighting in all areas; put non-skid pads under rugs; repair or replace damaged carpeting; provide furniture that is stable; remove clutter from walkways; wear rubber soled, non-skid shoes; tack cords above floors or run underneath flooring; install grab bars in bathrooms and rails on stairways; use assistive devices as indicated (walkers, wheelchairs); etc.



Using a Risk Assessment Tool

Identifying, assessing, and planning to prevent or mitigate risk often takes a team effort. DSPs, working individually or in teams, may want to use an assessment tool such as the following sample **Risk Assessment** Worksheet, in the activity below. A blank worksheet is in Appendix 3-A.

On this worksheet, the DSP simply lists the risks and ideas or plans for reducing or avoiding the risk. DSPs can use this worksheet as a guide for thinking through the risk management process. It will help you to record your observations and ideas to share with others, including the planning team.



ACTIVITY

Using a Risk Assessment Worksheet

Think of an individual you support. Using the Risk Assessment Worksheet, identify whether significant risk factors exist in their lives. Think of plans to manage those risks.

Activity: Using a Risk Assessment Worksheet

Description of Risk*	Plans to Manage Risk
<i>Example: Risk of choking</i>	<i>Identify causing factors; have individual sit at 90 degrees while eating; ensure staff is present during meals; limit conversation; etc.</i>

*Remember to think about the individual's health, behavior, daily living skills, environment, and lifestyle choices.

The worksheet can be used to:

- List and describe possible risks.
- Provide information important for the planning team.
- Plan intervention to prevent or mitigate risk.
- Identify the need for an evaluation by a specialist.
- Identify the need for special equipment or changes to the environment.
- Identify additional services and supports that may be needed.
- Document the plan.
- Monitor the results.

Trainer Guide: SESSION 8

Scenario


- Read scenario aloud.
- Ask the students how using a risk assessment worksheet might improve Kay's quality of life?

Answer:

Kay will be more likely to enjoy mealtimes, get medical attention when she needs it, communicate effectively, etc.

Show Slide #20: Existing Intervention Plans

- Explain that other interventions may already be in place in the Health Care Plan, a training objective, or a Behavior Support Plan.





Scenario

Using a Risk Assessment Tool

Kay is a woman with multiple disabilities including physical, communicative, and health impairment. Because of her difficulties with communication and movement, it is hard to determine her cognitive abilities. In using the Risk Assessment Worksheet, her team concludes that risks certainly are present. Those risks include risk of choking when she eats, potential for illness due to a weak immune system, risk of abuse by caregivers, risk of injury when being assisted to move, and risk of being treated as a child among many others. The risks for Kay are numerous and frequent. Staff have planned interventions including training for all staff in how to prepare her food for meals and to assist her in eating; training in recognizing when she is becoming ill; frequent medical checkups; development of a communication system to back up her verbal communication; speaking with Kay about how to tell someone if she feels she is being mistreated; training for staff in lifting and positioning; and ongoing discussion at staff meetings regarding how to facilitate choice and age-appropriate participation.

It is far more helpful to learn how to use the Risk Assessment Worksheet by actually using it. As you use this tool, you will find that interventions already are in place that minimize or eliminate the risk. Some of these may include a Health Care Plan; a Training Objective; or a Behavior Support Plan. List these too, and think of others that may be of value. This exercise

is not to find fault, but rather to improve upon what is already being done.

If an identified risk is noted as part of the assessment but has no current intervention in place, this is the time to discuss it with the administrator and/or the planning team.

Trainer Guide: SESSION 8

Risk Assessment and the IPP

- Review the definition of **IPP** from Session 2: *The individual program plan lists the individual's goals, objectives, and the services and supports needed to reach those goals.*
- Emphasize that the use of a risk assessment tool prior to the development of the IPP helps the DSP to identify how to anticipate problems and minimize risks associated with the activities in which the individual participates.

DSP Incident Reporting Requirements


General Reporting Requirements

- The following information relates to a session outcome, and may appear on the quiz.

Outcome: Complete an Unusual Incident/Injury Report.

Show Slide #21: DSP Incident Reporting Requirements

- This information is a review from Year 1, Session 3: Risk Management and Incident Reporting.
- Review the agencies to whom a DSP may report:
 - Regional centers – Special Incident Reports
 - Community Care Licensing – Unusual Incident/Injury Report
 - AND Each county is required to have offices responsible for looking into reports of abuse and neglect.
 - The Ombudsman receives reports of abuse or neglect of elder and dependent adults occurring in licensed settings such as community care facilities.
 - Adult Protective Services receives all other reports of abuse and neglect involving elder or dependent adults.
 - Child Protective Services receive reports of abuse and neglect of children.
- Each report is investigated and may be sent to other agencies, including law enforcement.
- Remind students that reporting responsibility lies with the person who observed the incident and no supervisor or administrator can stop that person from making a report.
- Advise the students to check the internal reporting procedures of their facilities.
- Emphasize that DSPs are required to meet all reporting requirements.
- Emphasize that DSPs must report to ALL required agencies. Just because you report to one does not clear you of the requirements to another.
- Review Tables 1-4 on pages S-28 to S-32. Cover timelines for Special Incident Reporting to regional centers.



Risk Assessment and the IPP

The IPP is the Individualized Program Plan, a document developed through the person-centered planning process that identifies events that will occur in the individual's life. As a DSP, you are in a critical position to ensure that individuals with disabilities are able to participate fully as valued members of the community. That includes having the opportunities as well as the skills to participate. As you become more and more aware of an individual's abilities, preferences, needs, and learning style, you will be in the best position to advocate for that individual as family, friends,

and support agencies develop plans.

Completing a Risk Assessment Evaluation & Planning Worksheet prior to the person-centered planning process or other team meetings helps you identify how to anticipate problems and minimize risks associated with the activities in which the individual participates. It is critical to remember that your role is to support individuals to participate, not to decide what they need. A risk assessment tool simply identifies risk and how to minimize it. It should not be used to limit an individual's choice.

DSP Incident Reporting Requirements

General Reporting Requirements

In Year 1, we discussed risk management principles and incident reporting. Let's review requirements for reporting to licensing agencies (Title 22) and regional centers (Title 17).

Even if DSPs follow the principles of risk management, incidents still happen. When they happen, the DSP is required by law to report these incidents. Depending upon the type of incident, the DSP will report to all or some of these agencies: regional centers, Community Care Licensing, local law enforcement, Adult and Child Protective Services, and the Ombudsman. The timelines for reporting vary depending upon the type of incident. Appendix 8-B through 8-E summarize reporting requirements for these agencies. You are required to meet *all* reporting requirements. For example, upon reviewing these tables, you will see that there are requirements to report abuse of a child to regional centers, Community Care Licensing, Child Protective Services, and local law enforcement. If you suspect an adult is being abused in a licensed setting, you must report to the regional center, licensing agency, and Ombudsman or law enforcement. You must meet *all* reporting requirements. Reporting

to one agency does not mean you don't have to meet the requirements of another. The actual reports are also called by different names. For example, the incident report that goes to regional centers is called a "Special Incident Report," while the report that goes to Community Care Licensing is called the "Unusual Incident/Injury Report." (Appendix 3-C)

In this training, you will use a sample Community Care Licensing form. Even though other agencies may have different forms, the information that is required is generally the same. It is a good idea to ask the local regional center if they have a Special Incident Report form and to use it when reporting to the regional center. Some regional centers accept the Community Care Licensing form but many have their own Special Incident Report form.

In general, special or unusual incident reports include:

- ▶ The name, address, and telephone number of the facility.
- ▶ The date, time, and location of the incident.
- ▶ The name(s) and date(s) of birth of the individuals involved in the incident.
- ▶ A description of the event or incident.

Trainer Guide: SESSION 8

Show Slide #22: Best Practice in Incident Reporting

- It is best practice to report all incidents to regional centers as they provide case management to individuals and the quality of case management and services provided is dependent upon having as much information about individuals as possible.


Additional guidance to the trainer:

Special Incident Reporting to Regional Centers

- Who should report?
 - State law requires all vendors to report special incidents to the appropriate regional center.
 - A vendor is an agency or person who has a contract with a regional center to provide services.
 - The community care home is a vendored agency.
- When is an incident reportable?
 - Incidents must be reported when they happen while the individual is under vendored care, that is, receiving services and supports from any vendor.
 - This includes individuals who are supposed to be receiving services at the time and individuals who are in fact receiving services at the time.
 - If a vendor provides services 24 hours per day every day to an individual then every incident that happens is under vendored care, even if the individual isn't at the facility.
- Here are two examples for an individual under vendored care:
 - An individual lives in a community care home and travels each day to a day program. Workers at the day program notice that the individual's insulin is not being monitored correctly.
 - An individual lives in a community care home. While visiting her family during a holiday, she suffers a broken arm.

ACTIVITY: Unusual Incident/Injury Report

- Review directions to ensure understanding.
- Complete the report as a class.



- ▶ If applicable, a description (such as, age, height, weight, occupation, relationship to individual) of the alleged perpetrator of the incident.
- ▶ How individual(s) were affected, including any injuries.
- ▶ The treatment provided for the individual.
- ▶ The name(s) and address(es) of any witness(es) to the incident.
- ▶ The actions taken by the vendor (licensee, DSP, the individual or any other agency or individual) in response to the incident.
- ▶ The law enforcement, licensing, protective services, and/or other agencies or individuals notified of the incident or involved in the incident.
- ▶ If applicable, the family member(s) and/or the individual's authorized representative who has been contacted and informed of the incident.

The responsibility to report an incident lies with the person who observed it or the person who has the best knowledge of

the incident. No supervisor or administrator can stop that person from making the report. However, internal procedures to improve reporting, ensure confidentiality, and inform administrators of reports are permitted and encouraged. It is important that you know any internal procedures that may be used where you work.

Regional centers have the responsibility to provide case management services to the individuals you support. So, regional center service coordinators need as much information as possible about the individual. For this reason, many regional centers have additional reporting guidelines. Remember, when reporting:

- ▶ If you report to another agency, report to the regional center.
- ▶ If you are not sure if an incident should be reported, report to the regional center.
- ▶ Follow any reporting guidelines from the regional center.
- ▶ Report all incidents to the regional center, even if they did not happen in the home where you work.



ACTIVITY

Unusual Incident/Injury Report

Frank is a 27-year-old man living in a small group home, April's Place, just outside Bakersfield. His housemates include four other young adults with significant physical and cognitive disabilities. Frank has lived in a number of care facilities since he moved from one of the state developmental centers. Frank has a history of problems with eating, and while he does not have any physiological problems with swallowing, he has had several incidences of choking on food—Frank tends to put far too much food in his mouth and eats very quickly. He has had a problem with taking food from others at the table.

On Saturday, February 26th, one of the DSPs called to say they would be late for work and that left one staff member with five individuals for dinner. Stan, the DSP at home at the time, was doing his best to get dinner on the table and assisting everyone to eat. He left the table for a moment to get a sponge to clean up a spill and when he returned, he found Frank on the floor, choking. He also had a gash on his head, apparently from hitting the chair as he fell. Stan used the Heimlich maneuver and was finally able to dislodge food from Frank's throat. Stan checked Frank's cut and knew he needed medical attention. He called 911 and then called his boss. Frank was taken to emergency and received three stitches for his head wound.

How would you complete the Unusual Incident/Injury Report on the following two pages for this incident?

Trainer Guide: SESSION 8

Unusual Incident/Injury Report

**UNUSUAL INCIDENT/INJURY
REPORT****INSTRUCTIONS :** NOTIFY LICENSING AGENCY, PLACEMENT AGENCY AND
RESPONSIBLE PERSONS, IF ANY, BY NEXT WORKING DAY.

SUBMIT WRITTEN REPORT WITHIN 7 DAYS OF OCCURRENCE.

RETAIN COPY OF REPORT IN CLIENT'S FILE.

NAME OF FACILITY	FACILITY FILE NUMBER	TELEPHONE NUMBER ()
ADDRESS	CITY, STATE, ZIP	

CLIENTS/RESIDENTS INVOLVED	DATE OCCURRED	AGE	SEX	DATE OF ADMISSION

TYPE OF INCIDENT

- | | | | | |
|--|---|--|---|---|
| <input type="checkbox"/> Unauthorized Absence | <input type="checkbox"/> Alleged Client Abuse | <input type="checkbox"/> Rape | <input type="checkbox"/> Injury-Accident | <input type="checkbox"/> Medical Emergency |
| <input type="checkbox"/> Aggressive Act/Self | <input type="checkbox"/> Sexual | <input type="checkbox"/> Pregnancy | <input type="checkbox"/> Injury-Unknown Origin | <input type="checkbox"/> Other Sexual Incident |
| <input type="checkbox"/> Aggressive Act/Another Client | <input type="checkbox"/> Physical | <input type="checkbox"/> Suicide Attempt | <input type="checkbox"/> Injury-From another Client | <input type="checkbox"/> Theft |
| <input type="checkbox"/> Aggressive Act/Staff | <input type="checkbox"/> Psychological | <input type="checkbox"/> Other | <input type="checkbox"/> Injury-From behavior episode | <input type="checkbox"/> Fire |
| <input type="checkbox"/> Aggressive Act/Family, Visitors | <input type="checkbox"/> Financial | | <input type="checkbox"/> Epidemic Outbreak | <input type="checkbox"/> Property Damage |
| <input type="checkbox"/> Alleged Violation of Rights | <input type="checkbox"/> Neglect | | <input type="checkbox"/> Hospitalization | <input type="checkbox"/> Other (<i>explain</i>) |

DESCRIBE EVENT OR INCIDENT (INCLUDE DATE, TIME, LOCATION, PERPETRATOR, NATURE OF INCIDENT, ANY ANTECEDENTS LEADING UP TO INCIDENT AND HOW CLIENTS WERE AFFECTED, INCLUDING ANY INJURIES:

PERSON(S) WHO OBSERVED THE INCIDENT/INJURY:

EXPLAIN WHAT IMMEDIATE ACTION WAS TAKEN (INCLUDE PERSONS CONTACTED):

Trainer Guide: SESSION 8

Unusual Incident/Injury Report

[illegible]

Trainer Guide: SESSION 8

Causal Analysis

- **Casual analysis** is a way to determine why an incident or event happened in order to prevent it from happening again.
- The following discussion and activity relate to a session outcome, and may appear on the quiz.

Outcome: Identify steps to lessen the possibility an incident will happen again.

- Review and discuss section.

Learning from the Incident

- Review and discuss section.


ACTIVITY: Minimizing the Possibility of Recurrence

Show Slide #23: Activity: Minimizing the Possibility of Recurrence

- Review directions to ensure understanding.
- Complete the activity as a class.

Activity: Minimizing the Possibility of Recurrence

- Review the scenario on page 5-14.
- Identify Frank's risk factors.
- How can you reduce the risk of the incident happening again?



YEAR TWO

23

Causal Analysis

Reporting incidents is just the first step. Accidents do happen, but as DSPs you must learn from past incidents and take steps to reduce the likelihood of similar incidents occurring in the future.

Causal analysis is a way to determine why an incident or event happened in order to prevent it from happening again.

Individual's lives are very complex. Rarely, if ever, does any one thing cause an incident to occur. Generally, incidents occur because of a combination of things. Think about causal analysis as "peeling an onion" to get to all those contributing causes, in order to take preventive action to reduce the risk of the incident happening again.

Learning from the Incident

When using causal analysis, examine what you learn from each incident. Ask, what were the risk factors in this situation? Use the Risk Assessment Evaluation & Planning Worksheet. Consider any other factors related to the activity itself. Don't try to come up with strategies or things that should have been done. In the previous example, it would be easy to say that Stan shouldn't have left the table or that he should have asked another consumer to get a sponge. It's likely Stan was doing the best he knew how at the time. Be objective observers and clearly examine the situation.



ACTIVITY

Minimizing the Possibility of Recurrence

Directions: Using Frank as an example, identify his risk factors and ways to prevent the incident from happening again.

Factor	Ways to minimize recurrence
<p><i>Example</i></p> <p><i>Frank eats too fast</i></p>	<ul style="list-style-type: none"> • <i>Develop program to teach eating slowly</i> • <i>Provide small portions rather than full plate</i> • <i>Make food available to Frank during the day</i>

Trainer Guide: SESSION 8

Applying Causal Analysis

- Review and discuss section.

ACTIVITY: Applying Causal Analysis

Show Slide #24: Activity: Applying Causal Analysis

- Review directions to ensure understanding.
- Complete the activity as a class.

Answers:

1. Should an incident report be made and if so, to whom?


Yes, incident reports should be made to Community Care Licensing and Regional Center.

2. What have you learned from the incident?

Never leave medications unattended. Medication must be locked up and inaccessible to individuals if staff is not present to support individuals with the self-administration of medication.

3. How can you minimize the possibility something like this will occur again?

Ensure medication is in a secure, locked area prior to engaging in other tasks.



Applying Causal Analysis

Let's take some time to practice the steps you need to take when an incident occurs. Remember, practice makes perfect. The more we allow ourselves to learn from such experiences, the easier it is to prevent them from happening again. You are also providing a good model for

new staff members who look to more experienced staff members for guidance. If your attitude as a staff is that events happen and you continually learn from these events, there is less need for blaming, defensiveness, or attempting to hide mistakes that are made.



ACTIVITY

Applying Causal Analysis

Read the incident described below.

Answer the following questions:

- 1. Should an incident report be made and if so, to whom?*
- 2. What have you learned from the incident?*
- 3. How can you minimize the possibility something like this will occur again?*

Sandra is a DSP working at Martha's Place. She is responsible for assisting individuals to take medications during her shift. Three young individuals receive medications at dinner time. As she is preparing medications for all three, she hears a crash in the next room. Leaving the medications on the counter, she runs in to find that someone has knocked down a floor lamp. After she picks it up, she returns to the medications to find that some are missing and that William, a young man who eats anything, is in the room. He seems alright, but does not respond when Sandra asks if he took the medications.

Trainer Guide: SESSION 8


SUMMARY

- Ask students to turn back to the “What Do You Want to Know” activity at the beginning of the session. Give students 5 minutes to think about what they learned and answer the third question.
- Ask for volunteers to share their answers.
- Review summary.

PRACTICE AND SHARE

Show Slide #25: Practice and Share

- Read the directions and make sure students understand the assignment.

A presentation slide titled "Practice and Share" with a white background and a light blue footer. The slide contains two bullet points. The first bullet point asks the user to think of an incident at work and consider how to prevent it from happening again. The second bullet point, preceded by "OR", asks the user to fill out a risk assessment tool and identify any risks that need to be shared with the planning team. The footer of the slide includes the text "YEAR TWO" on the left and the number "25" on the right.

Practice and Share

- Think of an incident where you work. What caused the incident? How can you lessen the possibility of it happening again?
- OR
- Fill out the risk assessment tool with an individual you support. Did you identify any risk that need to be shared with the planning team?

YEAR TWO 25

SUMMARY

In summary, remember that prevention is the number one priority. You learn to prevent injury by getting to know those consumers who you support and by learning from your experiences.

PRACTICE AND SHARE

1. Take an incident that occurs in the home where you work. Apply the steps of causal analysis and share the causes of the incident and what you did or recommended to minimize recurrence.

Or

2. Fill out a Risk Assessment Worksheet with one individual you support. Share with the class if you identified any risk that needed to be brought to the attention of the planning team.

Trainer Guide: SESSION 8

Session 8 Quiz

Risk Management in Daily Living

Show Slide #26: Quiz Time...

- Review the directions for filling out a Scantron form.
- Give students 20 minutes to take the quiz.

Show Slide #27: Quiz Answers

- Discuss questions and answers as a class.
- Remind students to mark the correct answers, so they can use the corrected quizzes as a study guide for the test after training.

Answers:

1. B
2. D
3. C
4. A

Quiz Time...

1	(A)	(B)	(C)	(D)
2	(A)	(B)	(C)	(D)
3	(A)	(B)	(C)	(D)
4	(A)	(B)	(C)	(D)
5	(A)	(B)	(C)	(D)
6	(A)	(B)	(C)	(D)
7	(A)	(B)	(C)	(D)
8	(A)	(B)	(C)	(D)
9	(A)	(B)	(C)	(D)
10	(A)	(B)	(C)	(D)

• Begin with number 1 on the Scantron Test Answer Box and number 1 of the quiz questions.

• For each question, choose the best answer.

• Fill in the box A, B, C or D that matches the answer you chose.

• Fill in only one answer for each question.

YEAR TWO 26

Quiz Answers

1. B	6. A
2. D	7. D
3. C	8. D
4. A	9. C
5. D	10. A

YEAR TWO 27

Risk Management in Daily Living

- | | | | | |
|----|----------------------------|----------------------------|----------------------------|----------------------------|
| 1 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 2 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 3 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 4 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 5 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 6 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 7 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 8 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 9 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |
| 10 | <input type="checkbox"/> A | <input type="checkbox"/> B | <input type="checkbox"/> C | <input type="checkbox"/> D |

- Which of the following is one of the Guiding Principles of Risk Management?
 - make friends and have fun.
 - prevention of serious incidents is the #1 priority.
 - avoid common mistakes.
 - keep information confidential.
- One of the keys to preventing serious accidents is
 - strong rules.
 - positive relationships.
 - visual learning.
 - open communication.
- Which one of the following activities involves the most risk?
 - watching TV.
 - taking a nap.
 - walking to the store.
 - reading a book.
- An activity has an appropriate level of risk when
 - the activity is reasonable and the individual knows what to expect.
 - the activity is completely new.
 - the activity is something the individual usually avoids.
 - the activity can severely affect an individual's health.

Trainer Guide: SESSION 8

5. D
6. A
7. D
8. D
9. C
10. A

5. **What is the first step in developing a plan to reduce the individual's perceived risk associated with an activity?**
 - A) complete a Special Incident Report.
 - B) discourage the individual from doing the activity.
 - C) substitute another activity for the one with perceived risk.
 - D) break the activity into steps.
6. **What is the purpose of completing the Risk Assessment Worksheet?**
 - A) to plan ways to minimize risk across all activities.
 - B) to meet the DSP requirements.
 - C) to keep the individual from doing risky things.
 - D) to provide the individual with choices.
7. **What is an example of an incident requiring a Special Incident Report (SIR)?**
 - A) an incident that resulted in loss of a friendship.
 - B) an incident that resulted in a small bruise.
 - C) an incident that resulted in a temper tantrum.
 - D) an incident that resulted in serious bodily injury.
8. **When must a written Special Incident Report be submitted to the regional center?**
 - A) one week after the incident.
 - B) within one work day of the incident.
 - C) by the end of the facility's business day.
 - D) within 48 hours of the incident.
9. **What is a standardized way to look at and analyze a situation to determine why it occurred?**
 - A) risk analysis.
 - B) task analysis.
 - C) causal analysis.
 - D) personal analysis.
10. **What is the goal of causal analysis?**
 - A) to minimize the recurrence of an incident.
 - B) to mitigate the effects of an incident.
 - C) to minimize the consequences of an incident.
 - D) to maximize the individual's potential.



Instructions for Completing Risk Assessment Worksheet

- Under each specific area, list the Significant Risks identified.
- Indicate "yes" or "no" as to whether a significant risk has been identified in the listed category.
- Indicate "yes" or "no" whether training/service plans are present for the specific risk
- If training/service plans have been developed, indicate the training/area.
- Briefly, indicate a summary of the intervention required to eliminate or minimize the risk.

Risk Assessment Evaluation & Planning Worksheet: Sample A

Individual's Name	Date of Discussion	Date of Note
Participants		
Significant Risk Factors (List) : Present : Interventions required to eliminate or minimize risk		
Yes . No		
1. Functional Abilities		
a. Eating/Choking		
b. Mobility		
c. Communication		
d. Personal Care		
e. Transferring/Repositioning		
f. Continence		
g. Vision		
h. Hearing		
2. Behavior Challenges		
a. Self-abuse		
b. Aggression toward others or property		

Appendix 8-A

Significant Risk Factors (List)		Present	Interventions required to eliminate or minimize risk	
		Yes	No	
3. Health				
a. Allergies				
b. Seizures				
c. Mental Illness				
d. Skin breakdown				
e. Bowel function				
f. Nutrition				
g. Psychotropic Medication				
h. Sun/Heat Exposure				
i. Other Chronic Conditions				
4. Environmental				
a. Injuries				
b. Falls				
c. Community				
5. Other				

DSP Incident Reporting Requirements

General Reporting Requirements

Even if DSPs follow the principles of risk management, incidents still happen. When they happen, the DSP is required by law to report these incidents. Depending upon the type of incident, the DSP will report to all or some of these agencies: regional centers, Community Care Licensing, local law enforcement, Adult and Child Protective Services, and the Ombudsman. The timelines for reporting vary depending upon the type of incident.

The tables on the following pages summarize reporting requirements for each of these groups. You are required to meet *all* reporting requirements. For example, upon reviewing these tables, you will see that there are requirements to report abuse of a child to regional centers, Community Care Licensing, Child Protective Services, and local law enforcement. If you suspect an adult is being abused in a licensed setting, you must report to the regional center, licensing agency, and Ombudsman or law enforcement. You must meet *all* reporting requirements. Reporting to one agency does not mean you don't have to meet the requirements of another.

The actual reports are also called by different names. For example, the incident report that goes to regional centers is called a "Special Incident Report," while the report that goes to Community Care Licensing is called the "Unusual Incident/Injury Report." (Appendix 3-C) In this training, you will use a sample Community Care Licensing form. Even though other agencies may have different forms, the information that is required is generally the same. It is a good idea to ask the local regional center if they have a Special

Incident Report form and to use it when reporting to the regional center. Some regional centers accept the Community Care Licensing form but many have their own Special Incident Report form.

In general, special or unusual incident reports include:

- ▶ The name, address, and telephone number of the facility.
- ▶ The date, time, and location of the incident.
- ▶ The name(s) and date(s) of birth of the individuals involved in the incident.
- ▶ A description of the event or incident.
- ▶ If applicable, a description (such as, age, height, weight, occupation, relationship to individual) of the alleged perpetrator of the incident.
- ▶ How individual(s) were affected, including any injuries.
- ▶ The treatment provided for the individual.
- ▶ The name(s) and address(es) of any witness(es) to the incident.
- ▶ The actions taken by the vendor (licensee, DSP, the individual or any other agency or individual) in response to the incident.
- ▶ The law enforcement, licensing, protective services, and/or other agencies or individuals notified of the incident or involved in the incident.
- ▶ If applicable, the family member(s) and/or the individual's authorized representative who has been contacted and informed of the incident.

DSP Incident Reporting Requirements (continued)

The responsibility to report an incident lies with the person who observed it or the person who has the best knowledge of the incident. No supervisor or administrator can stop that person from making the report. However, internal procedures to improve reporting, ensure confidentiality, and inform administrators of reports are permitted and encouraged. It is important that you know any internal procedures that may be used where you work.

Regional centers have the responsibility to provide case management services to the individuals you support. So, regional center service coordinators need as much information as possible about the individual. For this reason, many regional centers have additional reporting guidelines. Remember, when reporting:

- ▶ If you report to another agency, report to the regional center.
- ▶ If you are not sure if an incident should be reported, report to the regional center.
- ▶ Follow any reporting guidelines from the regional center.
- ▶ Report all incidents to the regional center, even if they did not happen in the home where you work.

Special Incident Reporting to Regional Centers

All regional center vendors (including community care facilities) and vendor staff (including DSPs) must report special incidents to the regional center as follows:

Table 1. Special Incident Reporting for Regional Center Vendors and Staff

California Code of Regulations (CCR), Title 17, Section 54327

What Do I Report?

Missing individual. An individual is considered missing if he/she leaves their community care home unexpectedly or without the needed supervision.

Suspected abuse/exploitation including physical, sexual, fiduciary (financial), emotional/mental, or physical and/or chemical restraint. This includes cases in which an under-age girl becomes pregnant.

Suspected neglect including failure to provide medical care, care for physical and mental health needs; proper nutrition; protection from health and safety hazards; assistance with personal hygiene; food, clothing, or shelter; or the kind of care any reasonable person would provide. Neglect may include an individual's self-neglect or behavior that threatens their own health or safety.

A serious injury/accident requiring medical treatment beyond first aid including cuts requiring stitches, staples, or skin glue; wounds by pointed objects; fractures; dislocations; bites that break the skin; internal bleeding (including bruises); medication errors; medication reactions; or burns.

Any hospitalization due to breathing-related illness; seizures; heart problems; internal infections; diabetes; wound/skin care; nutritional problems; or involuntary admission to a mental health facility.

Death of individual.

Individual is a crime victim including credible evidence of robbery, physical assault, theft, burglary, or rape. Credible evidence means that there is believable proof. This includes records of a 911 call, an incident report number and date, and a report from a law enforcement official.

To Whom Do I Report?

The regional center with case management responsibility for the individual and the vendoring regional center, if different.

When and How Do I Report?

Call or fax immediately but no more than *one work day* after learning of the occurrence

and

Submit a written report within *two work days* of the incident, even if you are not sure if the incident is reportable. Corrections can be made as more information becomes available.

Special Incident Reporting to Community Care Licensing

All Administrators and staff (DSPs) of community care licensed facilities must report special incidents to their licensing agency as follows:

Table 2. Unusual Incident Reporting for Licensed Community Care Facilities

California Code of Regulations (CCR), Title 22, Sections 80061, 84061, 85061, and 87561

What Do I Report?

Death of an individual from any cause.

Any injury to any individual that requires medical treatment.

Any unusual incident or absence that threatens the physical or emotional health or safety of any individual.

Any suspected physical or psychological abuse.

Epidemic outbreaks.

Poisonings.

Catastrophes.

Fires or explosions that occur in or on the premises.

The use of an Automated External Defibrillator (RCFE).

Major accidents that threaten the welfare, safety, or health of residents (RCFE).

To Whom Do I Report?

Report to the local Community Care Licensing agency.

When and How Do I Report?

Call within the agency's next working day during its normal business hours.

A written report shall be submitted within seven days following the occurrence of the event.